UNITED STATES BANKRUPTCY COURT



CENTRAL DISTRICT OF CALIFORNIA
OFFICE OF THE CLERK

KATHLEEN J. CAMPBELL

Executive Officer Clerk of Court

PUBLIC NOTICE

RE: AMENDED GENERAL ORDER 20-06 REOPENING INTAKE AREA IN THE SANTA ANA DIVISION

On September 11, 2020, Chief Judge Maureen A. Tighe issued Amended General Order 20-06 In Re: Procedures for Phased Reopening During COVID-19 Public Emergency in response to the ongoing COVID-19 pandemic and to more closely align with District Court operations in light of the United States District Court General Order 20-09, entered on August 6, 2020, which closed Courthouses in the Central District of California to the public, with limited exceptions, and United States District Court Notice from the Clerk, dated September 11, 2020, which reopened the Santa Ana Courthouse to the public.

Effective Monday, September 14, 2020, the Intake area of the Ronald Reagan Federal Building and U.S. Courthouse in Santa Ana will reopen to the public to accept in-person filings. Additionally, the Intake area of the Edward R. Roybal Federal Building in Los Angeles will remain open to the public and will be able to accept in-person emergency filings from any division. All other Intake areas in the other Divisions remain closed. Individuals filing bankruptcy without an attorney may also file by mail or through the Court's Electronic Self-Representation (eSR) module. Please refer to Amended General Order 20-06 for specific filing requirements.

Judges will continue to hear matters remotely through telephonic or by video service, except a judge may order an in-person hearing where necessary in an emergency. Previously issued guidance regarding face coverings in Court facilities, mediations, and judges' or courtesy copies remains in place.

For further information, please visit the Court's website at https://www.cacb.uscourts.gov. You may also utilize the website's Chat Live function or contact the Court's Call Center at (855) 460-9641, during normal business hours.

KATHLEEN J. CAMPBELL CLERK OF COURT

20-011 (09/11/20)